


Produced from: **March 2016**

## 1Hole Lavy Thermostat

chrome **A5540AA**



| Pos. | Description                | Part-<br>Number      | Qty.  | Pos. | Description                                   | Part-<br>Number     | Qty.  |
|------|----------------------------|----------------------|-------|------|-----------------------------------------------|---------------------|-------|
| 1    | Handle for Temp. cpl.      | <b>A 960 776 AA</b>  | 1 pcs | 14   | Pull knob                                     | <b>A 962 137 AA</b> | 1 pcs |
| 2    | Screw ( spigot )           |                      |       | 15   | Spout without aerator                         | <b>A 960 846 AA</b> | 1 pcs |
| 3    | Screw Ejot PT KB50x10      |                      |       | 16   | Aerator M22x1 -A-                             | <b>A 961 883 AA</b> | 1 pcs |
| 4    | Volume control handle cpl. | <b>A 960 801 AA</b>  | 1 pcs | 17   | Lift rod                                      | <b>A 962 138 NU</b> | 1 Set |
| 5    | Screw M4 L=23,5            | <b>A 962 998 NU</b>  | 2 pcs | 18   | Bracket                                       | <b>A 963 404 NU</b> | 1 pcs |
| 6    | Temp. adjustment cpl.      | <b>A 963 427 NU</b>  | 1 Set | 19   | O-Ring Ø 40x2,5                               | <b>A 860 070 NU</b> | 1 pcs |
| 7    | Thermostatic Cartridge     | <b>F 961 044 NU</b>  | 1 pcs |      |                                               |                     |       |
| 8    | Repair-Set Cartridge       | <b>A 962 230 NU</b>  | 1 Set | 20   | Fixation set                                  | <b>A 960 263 NU</b> | 1 pcs |
| 9    | Body                       |                      |       | 21   | Non-return valve                              | <b>A 961 909 NU</b> | 2 pcs |
| 10   | Handle insert + stopring   | <b>A 963 432 NU*</b> | 1 Set | 22   | Flex. hose M10x1 / G3/8                       | <b>A 963 600 NU</b> | 1 pcs |
| 11   | Cartridge G1/2             | <b>A 861 243 NU</b>  | 1 pcs | 23   | Pop-up Waste                                  | <b>A 961 230 NU</b> | 1 pcs |
| 12   | Repair set spout cpl.      | <b>F 960 031 NU</b>  | 1 Set |      |                                               |                     |       |
| 13   | Nipple for spout           |                      |       |      |                                               |                     |       |
|      |                            |                      |       |      | <i>* Universal-Set (not all parts needed)</i> |                     |       |

\* *Universal-Set (not all parts needed)*

Produced from: June 2010 - March 2016

1Hole Lavy Thermostat

chrome **A5540AA**




| Pos. | Description                | Part-Number         | Qty.  | Pos. | Description             | Part-Number         | Qty.  |
|------|----------------------------|---------------------|-------|------|-------------------------|---------------------|-------|
| 1    | Handle for Temp. cpl.      | <b>A 960 776 AA</b> | 1 pcs | 12   | Repair set spout cpl.   | <b>F 960 031 NU</b> | 1 Set |
| 2    | Screw ( spigot )           |                     |       | 13   | Nipple for spout        |                     |       |
| 3    | Screw Ejot PT KB50x10      |                     |       | 14   | Pull knob               | <b>A 962 137 AA</b> | 1 pcs |
| 4    | Volume control handle cpl. | <b>A 960 801 AA</b> | 1 pcs | 15   | Spout without aerator   | <b>A 960 846 AA</b> | 1 pcs |
| 5    | Screw M4 L=23,5            | <b>A 962 998 NU</b> | 2 pcs | 16   | Aerator M22x1 -A-       | <b>A 961 883 AA</b> | 1 pcs |
| 6    | Temp. adjustment cpl.      | <b>A 963 427 NU</b> | 1 Set | 17   | Fixation set            | <b>A 962 139 NU</b> | 1 Set |
| 7    | Thermostatic Cartridge     | <b>F 961 044 NU</b> | 1 pcs | 18   | Lift rod                | <b>A 962 138 NU</b> | 1 pcs |
| 8    | Repair-Set Cartridge       | <b>A 962 230 NU</b> | 1 Set | 19   | Flex. hose M10x1 / G3/8 | <b>A 963 600 NU</b> | 1 pcs |
| 9    | Body                       |                     |       | 20   | Bracket                 | <b>A 963 404 NU</b> | 1 pcs |
| 10   | Handle insert + stopring   | <b>A 963 432 NU</b> | 1 Set | 21   | Non-return valve        | <b>A 961 909 AA</b> | 2 pcs |
| 11   | Headwork ( Cartridge )     | <b>A 963 033 NU</b> | 1 pcs |      |                         |                     |       |

Produced from: October 2015

1Hole Lavy Thermostat

chrome

A5541AA




| Pos. | Description                | Part-Number  | Qty.  | Pos. | Description             | Part-Number  | Qty.  |
|------|----------------------------|--------------|-------|------|-------------------------|--------------|-------|
| 1    | Handle for Temp. compl.    | A 960 776 AA | 1 pcs | 11   | Headwork ( Cartridge )  | A 963 033 NU | 1 pcs |
| 2    | Screw ( spigot )           |              |       | 12   | Repair set spout compl. | F 960 031 NU | 1 Set |
| 3    | Screw Ejoyt PT KB50x10     |              |       | 13   | Nipple for spout        |              |       |
| 4    | Volume control handle cpl. | A 960 801 AA | 1 pcs | 14   | Spout without aerator   | A 961 789 AA | 1 pcs |
| 5    | Screw M4 L=23,5            | A 962 998 NU | 2 pcs | 15   | Aerator M22x1 -A-       | A 961 883 AA | 1 pcs |
| 6    | Temp. adjustment compl.    | A 963 427 NU | 1 Set | 16   | Fixation set            | A 960 263 NU | 1 Set |
| 7    | Thermostatic Cartridge     | F 961 044 NU | 1 pcs | 17   | Flex. hose M10x1 / G3/8 | A 963 600 NU | 1 pcs |
| 8    | Repair-Set Cartridge       | A 962 230 NU | 1 Set | 18   | Non-return valve        | A 961 909 AA | 2 pcs |
| 9    | Body                       |              |       | 19   | Stabilizing Plate       | A 962 328 NU | 1 pcs |
| 10   | Handle insert + stopring   | A 963 432 NU | 1 Set | 20   | O-Ring Ø 40x2,5         | A 860 070 NU | 1 pcs |

Produced from: June 2010 - October 2015

## 1Hole Lavy Thermostat

chrome

A5541AA





| Pos. | Description                | Part-<br>Number | Qty.  | Pos. | Description              | Part-<br>Number | Qty.  |
|------|----------------------------|-----------------|-------|------|--------------------------|-----------------|-------|
| 1    | Handle for Temp. compl.    | A 960 776 AA    | 1 pcs | 10   | Handle insert + stopring | A 963 432 NU    | 1 Set |
| 2    | Screw ( spigot )           |                 |       | 11   | Headwork ( Cartridge )   | A 963 033 NU    | 1 pcs |
| 3    | Screw Ejot PT KB50x10      |                 |       | 12   | Repair set spout compl.  | F 960 031 NU    | 1 Set |
| 4    | Volume control handle cpl. | A 960 801 AA    | 1 pcs | 13   | Nipple for spout         |                 |       |
| 5    | Screw M4 L=23,5            | A 962 998 NU    | 2 pcs | 14   | Spout without aerator    | A 961 789 AA    | 1 pcs |
| 6    | Temp. adjustment compl.    | A 963 427 NU    | 1 Set | 15   | Aerator M22x1 -A-        | A 961 883 AA    | 1 pcs |
| 7    | Thermostatic Cartridge     | F 961 044 NU    | 1 pcs | 16   | Fixation set             | A 962 139 NU    | 1 Set |
| 8    | Repair-Set Cartridge       | A 962 230 NU    | 1 Set | 17   | Flex. hose M10x1 / G3/8  | A 963 600 NU    | 1 pcs |
| 9    | Body                       |                 |       | 18   | Non-return valve         | A 961 909 AA    | 2 pcs |

Produced from: June 2010

## Wall Thermostat exposed




chrome

A5542AA




| Pos. | Description                | Part-Number  | Qty.  | Pos. | Description               | Part-Number  | Qty.  |
|------|----------------------------|--------------|-------|------|---------------------------|--------------|-------|
| 1    | Handle for Temp. compl.    | A 960 776 AA | 1 pcs | 13   | Non-return valve DW15     | A 962 594 NU | 2 pcs |
| 2    | Screw Egot PT KB50x10      |              |       | 14   | Seat M20 x 1 left thread  |              |       |
| 3    | Screw ( spigot )           |              |       | 15   | O - ring Ø 17 x 2         | A 961 810 NU | 2 pcs |
| 4    | Screw M4 L=23,5            | A 962 998 NU | 2 pcs | 16   | Strainer ( screen )       | A 962 595 NU | 2 pcs |
| 5    | Volume control handle cpl. | A 960 801 AA | 1 pcs | 17   | Cylindrical screw spec.   | A 961 183 NU | 1 pcs |
| 6    | Temp. adjustment compl.    | A 963 427 NU | 1 Set | 18   | Nipple M20x1              |              |       |
| 7    | Thermostatic Cartridge     | A 962 229 NU | 1 pcs | 19   | O - ring Ø 17 x 2         | A 961 810 NU | 2 pcs |
| 8    | Repair-Set Cartridge       | A 962 230 NU | 1 Set | 20   | O - ring Ø 10,5 x 2,7     | A 963 342 NU | 2 pcs |
| 9    | Body                       |              |       | 21   | Spout cpl. + pos. 17 + 22 | A 961 186 AA | 1 pcs |
| 10   | Handle insert + stopring   | A 963 432 NU | 1 Set | 22   | Aerator M24x1 -A-         | A 860 050 AA | 1 pcs |
| 11   | Headwork ( Cartridge )     | A 963 033 NU | 1 pcs |      |                           |              |       |
| 12   | Coupling nut G3/4 - SW30   |              |       |      |                           |              |       |

Produced from: June 2010




Shower Thermostat  
chrome


**A5543AA**




| Pos. | Description               | Part-Number         | Qty.  | Pos. | Description                 | Part-Number         | Qty.  |
|------|---------------------------|---------------------|-------|------|-----------------------------|---------------------|-------|
| 1    | Handle for Temp. compl.   | <b>A 960 776 AA</b> | 1 pcs | 12   | Cover for Shower 150mm      | <b>A 962 223 AA</b> | 1 pcs |
| 2    | Screw Ejot PT KB50x10     |                     |       | 13   | Back plate ( frame )        |                     |       |
| 3    | Screw ( spigot )          |                     |       | 14   | Holder ( disc )             |                     |       |
| 4    | Screw M4 L=23,5           | <b>A 962 998 NU</b> | 2 pcs | 15   | Coupling nut G3/4 - SW30    |                     |       |
| 5    | Handle for Volume control | <b>A 960 801 AA</b> | 1 pcs | 16   | Non-return valve DW15       | <b>A 962 594 NU</b> | 2 pcs |
| 6    | Temp. adjustment compl.   | <b>A 963 427 NU</b> | 1 Set | 17   | Seat M20x1 left thread      |                     |       |
| 7    | Thermostatic Cartridge    | <b>A 962 229 NU</b> | 1 pcs | 18   | O - ring Ø 17 x 2           | <b>A 961 810 NU</b> | 2 pcs |
| 8    | Repair-Set Cartridge      | <b>A 962 230 NU</b> | 1 Set | 19   | Strainer ( screen )         | <b>A 963 365 NU</b> | 1 pcs |
| 9    | Body for Shower           |                     |       | 20   | O - ring Ø 17 x 2           | <b>A 961 810 NU</b> | 2 pcs |
| 10   | Handle insert + stoping   | <b>A 963 432 NU</b> | 1 Set | 21   | Nipple M20x1 - G1/2 outside |                     |       |
| 11   | Headwork ( Cartridge )    | <b>A 963 033 NU</b> | 1 pcs |      |                             |                     |       |




| Pos. | Art. nr.     | (set aantal) | Benaming                         |
|------|--------------|--------------|----------------------------------|
| 1    | F 963 436 AA |              | Temperatuurknop compleet Easy    |
| 2    | F 963 282 NU |              | Aanslagring temperatuur          |
| 3    | F 963 072 NU |              | Temperatuurpatroon               |
| 4    | F 963 571 NU |              | Keramisch bovendeel 180°         |
| 5    | F 963 411 NU |              | Aanslagring volume               |
| 6    | F 963 437 AA |              | Volumeknop compleet Easy         |
| 7    | F 963 431 AA |              | Uitloop 120mm compleet           |
| 7.1  | F 963 120 AA |              | Inschroefperlator M24x1          |
| 8    | F 963 435 NU |              | Bevestigingsset                  |
| 9    | F 963 008 NU |              | Flexibele aansluitslang          |
| 10   | F 963 037 AA |              | Waste compleet                   |
| 11   | F 963 553 NU | (2 stuks)    | Keerklep adapter + O-ring + zeef |




| Pos. | Art. nr.     | (set aantal) | Benaming                         |
|------|--------------|--------------|----------------------------------|
| 1    | F 963 436 AA |              | Temperatuurknop compleet Easy    |
| 2    | F 963 282 NU |              | Aanslagring temperatuur          |
| 3    | F 963 072 NU |              | Temperatuurpatroon               |
| 4    | F 963 073 NU |              | Keramisch bovendeel 180°         |
| 5    | F 963 411 NU |              | Aanslagring volume               |
| 6    | F 963 437 AA |              | Volumeknop compleet Easy         |
| 7    | F 963 432 AA |              | Uitloop 190mm compleet           |
| 7.1  | F 963 120 AA |              | Inschroefperlator M24x1          |
| 8    | F 963 435 NU |              | Bevestigingsset                  |
| 9    | F 963 008 NU |              | Flexibele aansluitslang          |
| 10   | F 963 553 NU | (2 stuks)    | Keerklep adapter + O-ring + zeef |



| Pos. | Art. nr.     | (set aantal) | Benaming                      |
|------|--------------|--------------|-------------------------------|
| 1    | F 963 436 AA |              | Temperatuurknop compleet Easy |
| 2    | F 963 282 NU |              | Aanslagring temperatuur       |
| 3    | F 963 280 NU |              | Temperatuurpatroon            |
| 4    | F 963 073 NU |              | Keramisch bovendeel 180°      |
| 5    | F 963 411 NU |              | Aanslagring volume            |
| 6    | F 963 437 AA |              | Volumeknop compleet Easy      |
| 7    | F 963 506 AA |              | Drukbalans patroon            |



| Pos. | Art. nr.     | (set aantal) | Benaming                      |
|------|--------------|--------------|-------------------------------|
| 1    | F 963 433 AA |              | Temperatuurknop compleet Easy |
| 2    | F 963 282 NU |              | Aanslagring temperatuur       |
| 3    | F 963 280 NU |              | Temperatuurpatroon            |
| 4    | F 963 073 NU |              | Keramisch bovendeel 180°      |
| 5    | F 963 411 NU |              | Aanslagring volume            |
| 6    | F 963 434 AA |              | Volumeknop compleet Easy      |
| 7    | F 963 266 AA |              | Uitloop G1/2", 200 mm lang    |
| 7.1  | F 963 120 AA |              | Inschroefperlator M24 x 1     |



| Pos. | Art. nr.     | (set aantal) | Benaming                      |
|------|--------------|--------------|-------------------------------|
| 1    | F 963 433 AA |              | Temperatuurknop compleet Easy |
| 2    | F 963 282 NU |              | Aanslagring temperatuur       |
| 3    | F 963 280 NU |              | Temperatuurpatroon            |
| 4    | F 963 073 NU |              | Keramisch bovendeel 180°      |
| 5    | F 963 411 NU |              | Aanslagring volume            |
| 6    | F 963 434 AA |              | Volumeknop compleet Easy      |